




KONICA MINOLTA

www.konicaminolta.ca

Office system bizhub C352



bizhub C352

Division manager

The essentials of imaging



The catalyst for productivity

A central device for a division must ensure complete integration of the existing departmental communication and workflows and stimulate productivity. The device must be accessible in all respects, capable of enhancing the output quality, able to relieve staff from time-wasting activities, enable efficient and easy management and generate considerable savings.

The bizhub C352, the first monochrome and colour device with embedded finishing, fulfills these goals. It represents the natural progression from small departmental network groups to division integration or the ideal integrated system to replace a multitude of single stand-alone devices and the benefits are wide-ranging and considerable.

■ Accessibility is a byword for the multi-functional bizhub C352. The Konica Minolta common menus assure ease of operation and the user Box functionality ensures easy workflow including extensive scanning and faxing capability. Fast processing including simultaneous ripping (preparation for printing) whilst printing and impressive print and scan speeds ensure an extraordinary level of availability. The timer function and the fast warm-up further improve the accessibility of the bizhub C352.

■ The Administrator functions incorporated in the bizhub C352 are excellent. Set-up procedures, network integration and complete status monitoring and management of the device are all extremely easy. User and security management is comprehensive including access control and cost centers.

bizhub C352 





■ Print cost control is promoted by the innovative Konica Minolta print technology, the allocation of print limits and cost centers and the high available running time. Considerable staff time savings are made with the sharing of job settings and programmes, the embedded finishing, the Print Status Notifier and the output mailbin sorting.

■ As Division Manager the digital bizhub C352 very effectively improves output quality, generates successful communication, frees valuable staff time and stimulates economical flexible print output.




Easy accessibility throughout

A productive, efficient division requires a central device which offers easy access to all functions when and how each user wishes, just as it is with the bizhub C352.

- The intuitive common bizhub feature set, supported by the large touch screen menu and the printer driver, makes all the rich functions easily and readily available right down to the one-touch programmable job settings. Easy operation at its best.
- The user Box function assures direct access to information through storing, archiving and sharing. Standard forms, such as travel claim forms, and product information for instance can be prepared and stored and are instantly available e.g. for immediate printing. All data is waiting to be easily accessed.
- Ease of external and internal communication is assured in the scan functions to any of eMail, FTP, or PC. The traditional fax is supported with digital functions e.g. save to a box, forwarded as eMail, save to PC. And both are fully supported by the address book which can hold up to 2,100 entries.
- The bizhub C352 deals with print jobs in a very efficient manner thus maintaining a high level of availability. The speedy 35 copies per minute applies to both the high definition monochrome and high quality colour output thanks to the innovative tandem one-pass process. Scanning, including double-sided, runs at up to 68 originals per minute, thus rapidly freeing the device for further jobs. To maximise up-time the fast processing Emperon™ print controller simultaneously rips the next waiting job whilst printing takes place. There is virtually no break in operation.
- The Status Notifier saves much user time. The user is kept informed of progress and thus unnecessary trips to the device or standing around waiting for a job to be finished are eliminated.



Performance on which everyone can rely, the bizhub C352 is always there to serve.



Facilitating comprehensive management

A centrally located division device is there to serve a number of departments and the responsibility is spread thinly. The device must therefore provide a complete range of functions for an Administrator to manage and to monitor the device easily and effectively.

- The bizhub C352 provides the required full management and monitoring with PageScope Netcare, a part of the standard installed PageScope Suite. The Administrator can access the device via intranet or internet and in addition there is automatic status notification. The Administrator always has his finger on the pulse.
- PageScope Netcare also assures user management of up to 1,000 users. Access rights, rights to functions and cost centres can all be defined. Included are the specification of mode (colour or b/w) and quantity for copying and printing and security controls for external data transmission e.g. in order to safeguard company information. These are important management tools.



- The bizhub C352 supports the Windows Active Directory and LDAP. The first facility can be used to import user data and the second can import company address books. With these Network Management set-up functions the Administrator is well equipped.
- In addition to the log-in security the bizhub C352 also offers a whole range of security options. Encrypted communication (SSL) ensures that even with the interception of data no security break can occur. PDF encryption prevents opening of data. Secure print means that a print job is only processed once a password has been entered at the machine thus allowing the user to supervise the print run. Within the machine data storage security can be assured with the additional data encryption. The Administrator can rest assured that everything is secure as the bizhub C352 is security certified under ISO 15408 EAL3.

The Administrator can enjoy relaxed, efficient management and monitoring in the knowledge that the bizhub C352 will automatically deliver.





Controlling costs promotes savings

The multi-functional bizhub C352 gives all-round savings with both excellent technology and comprehensive management tools.

- The setting up of individual and group accounts facilitates the easy monitoring of actual printing and the allocation of costs to cost centres. In addition, specific rights such as limited output volumes separately for colour and monochrome can be allocated in advance. This informed focussing of print activity prevents cost overruns and promotes considerable savings.
- A modern office needs automatically finished documents so that staff are freed to concentrate on the essentials. The bizhub C352 finishing options save much staff time and also enhance the print products. Manual work such as sorting, insertion of colour pages, stapling, punching is unnecessary and outsourcing is reduced to a minimum.
- In addition the fast warm-up time and the timer function ensure that the device is available when needed. The Print Status Notifier saves unnecessary trips to the device before the job is complete and the output mailbin system separates out jobs ensuring that the pick-up is quick and straightforward.
- The innovative Konica Minolta technology assures greater efficiency and savings. The tandem engine one-pass printing is both very stable and reliable, effortlessly performing large output volumes irrespective of the volume distribution between colour and monochrome. Print costs are kept down.
- The bizhub C352's digital communication functionality gives savings. The user can scan to eMail for multiple addressees thus saving time and print and postal costs. Sharing of job programmes and job settings clearly saves time. Printing for need e.g. travel claim forms, avoids the costs of storage and obsolescence.

→ Direct Print

PDF, TIFF, PCL and PostScript files are directly downloaded and sent for printing. There is no need for the application and the PC is immediately free.

→ HotFolder

Folders can be given specific output settings (e.g. duplex, punched). Within the network the user has only to drag and drop the file to the shared folder containing the required settings.

The bizhub C352 successfully combines time savings and cost control with splendid print and finishing performance.



corner stapling



2-point stapling



two sided printing




combined mixmedia/mixplex




chapter mode



booklet




banner printing



offset sorting

Your options at a glance





bizhub C352

TYPE:
Full-Color Printer/Copier/Scanner With Stationary Platen

PRINT/COPY PROCESS:
Tandem Process, Electrostatic laser copy
TONER TYPE:
Simitri® Color Polymerized Toner

MONTHLY DUTY CYCLE: 100,000 pages

PRINT/COPY SPEED:
Full Color: 35 ppm (letter, portrait)
B & W: 35 ppm (letter, portrait)

SCAN SPEED: Up to 2 sec. (Letter/Fine Mode)

PRINT/COPY RESOLUTION:
600 x 600 dpi
600 x 1800 dpi (enhanced resolution)

GRADATION: 256 color shades per pixel

ORIGINAL SIZE:
Up to 11" x 17" (scanning/copying)
Up to 11" x 17" full-bleed on 12" x 18" paper (printing)

COPY SIZE:
Multi-Purpose Cassette: 4" x 6" to 12" x 18"
Universal Cassette: 8-1/2" x 11" to 11" x 17"
Multiple Bypass: 5.5" x 8.5" to 12" x 18"

WARM-UP TIME: Less than 72 seconds

FIRST COPY :
Full color: less than 8.5 seconds
B & W: Less than 6.5 seconds

COPY QUANTITY: 1 - 999

MAGNIFICATION:
Zoom range: 25% - 400%, 0.1% increments
Preset reduction: 79%, 73%, 65%, 50%
Preset enlargement: 121%, 129%, 155%, 200%

COLOR MODES:
Auto Color, Full Color, Black & White, 2-Color, Single Color

COPY EXPOSURE MODES:
Text (legible text)
Text/Photo (clear text and halftones)
Photo (optimized for gradations)
Map (fine edges and legible text)
Dot Matrix (dot matrix originals)
Copied Paper

FAXING (with fax option):
ECM/Super G3 compatibility
MH/MMR/JBIG Compression
2.4 -33.6 Kbps modem speed

FAX TRANSMISSION SPEED:
Approximately 3 seconds/page

FAX EXPOSURE MODES:
Text, Text/Photo, Photo, Dot Matrix

PAPER SUPPLY:
Plain paper (16 to 24 lb.), thick paper 1 (24.25 to 40 lb.), thick paper 2 (40.25 to 55.5 lb.), thick paper 3 (55.75 to 68 lb.), overhead projector transparencies, letterheads, coloured paper, envelopes, label sheets

MAXIMUM PAPER CAPACITY:
2,500 sheets (total, with options)

DOCUMENT FEEDER:
DF-608 Automatic Document Feeder

Paper Capacity: 100 sheets
Paper Size: 5-1/2" x 8-1/2" to 11" x 17"

Paper Weight:
Single-sided: 9.2 lb. bond to 110 lb. index
Double-sided: 16 lb. bond to 34 lb. bond

POWER REQUIREMENTS: 120 V, 60 Hz

POWER CONSUMPTION: Less than 1.5 kW

DIMENSIONS (W x D x H):
25.50" x 29.50 x 30.25"
(standard configuration)

WEIGHT: 120 lbs.

OPTIONS:
DF-608 Reversing Automatic Document Feeder
DK-502 Copy Desk
EK-702 Parallel/USB 2.0 I/F Kit
C352 Fax Kit
FS-514 Base Finisher
MT-501 Mailbin
SD-503 Saddle Stitcher
SP-501 Stamp Unit
VI-503 Fiery Controller Interface (for IC-406)
IC-406 Fiery Controller (for VI-503)
MK-706 Enhanced Option Connection
ML-501 Fax Multi-Line
OC-501 Original Cover
PC-103 Paper Feed Cabinet (500 sheets)
PC-203 Paper Feed Cabinet (500 sheets x 2)
PC-403 Large Capacity Tray (2500 sheets)
PK-510 Punch Kit (requires FS-514)
OT-601 Output Tray

Available Print/Copy Functions*

Account Track (1,000 Accounts)
APS/AMS
Auto Duplex
Auto Reset
Auto Tray Switching
Bi-Directional Communication (Device Option Setting)
Box Function (Store Copy Jobs, Print Jobs, Scans, Fax Data, Print Stored Data, Route Scanned Data)
Color Modes & Functions
Auto Color/Full Color
Black & White Mode
Single Color Mode
2-Color Mode
Color Adjustments (Brightness, Contrast, Saturation, Sharpness, Red, Green, Blue, Portrait, Hue Density, Color Balance, Copy Density)
Copy Modes (Simplex/Duplex, 2-in-1, 4-in-1, 8-in-one, Book, Booklet, Booklet + Bind)
Cover Mode
Creative Functions (Mirror Image, XY Zoom, Image Centering, Base Color, Negative/Positive Reverse, Image Repeat)
Criss-cross Sorting
Distribution Number Printing
Energy Save Mode
Enlarge Display
Erase (Border, Frame, Edge) Mode
Finishing (Group, Sort, Staple, Punch, Center-Fold, Center-Staple)
Form Overlay
Glossy Mode
HDD Random Erase
Image Adjustments (Color Matching, Pure Black Auto ON/OFF, Color Balance, Screen Setting, Image Smoothing ON/OFF)
Image Density Adjustments (Density, Background Removal)
Image Preview (Job Finishing Image Display, Engine Configuration Display)
Interrupt
Job Erase
Job List
Job Reserve
LDAP
OHP Interleaving
Mixplex, Mix-Media
Paper Size Selection (APS, Manual)
Paper Type Selection (Normal, Thick 1, Thick 2, Thick 3, OHP)
Program/Recall Jobs
Proof Print
Secure Printing

Available Print/Copy Functions Continued*

Separate Scan
Sleep Mode
Text Enhancement
User Authentication (Synchronize with Account Track)
Utility (Meter Count, Environment Setting, Default Setting, One-Touch Setting, Check Consumable Life, Admin. Mode)
Watermarks
Zoom Selection (AMS, Fixed Zoom Ratio, User Programmable Zoom Ratio, Manual)

Available Scan Functions*

Scan-to-Email
Scan-to-FTP
Scan-to-SMB (Scan-to-Desktop)
Scan-to-HDD (Scan-to-User box)
Network TWAIN (via Ethernet TCP/IP)

Available Fax Functions*

Autodialing (2,000 one-touch keys)
Auto Memory Reception
Auto Reduction Printing
Border Erase Transmission
Broadcasting (maximum 600 locations)
Bulletin Board
Density Adjustment
Duplex Transmission/Reception
Exposure Mode (Text, Text/Photo, Photo, Dot Matrix)
Group Dialing (up to 500 one-touches per group)
Image Rotation Transmission/Reception
Mailbox (Private) Transmission/Reception
Memory/Quick Dial
Mix Originals Transmission
Original Size Designation
Overseas Transmission
Password Transmission/Reception
PC Fax
Polling Transmission/Reception
Priority Transmission
Print Setting for Overnight Reception
Program Dialing (400 programs)
Redial
Relay Broadcasting
Relay Transmission
Remote Reception
Secure Printing
Telephone/Fax Auto Transfer
Timer Transmission

Emperon Print System:

PROCESSOR:
600 MHz

RAM:
512 MB

HARD DISK DRIVE:
40 GB

PAGE DESCRIPTION LANGUAGE:
PCL 5e/c Emulation
PCL6 (XL version 2.1) Emulation
PS3 Emulation

TONER:
PCL Resident Fonts: 80 outline + 1 bitmap
PS3 Emulation Resident Fonts: 136 outline

PRINT DRIVERS:
PCL6:
Windows 98 Second Edition, Windows Me, Windows NT 4.0 SP6a, Windows 2000, Windows XP, Windows Server 2003
PS3:
Windows 98 ME (PPD file)
2000/XP/2003/NT 4.0 SP6a (Print Driver)
Mac OS 9.2 or later, OS X version 10.2, Mac OS X 10.3 (PPD files), MAC OS X 10.4



Emperon Print System: Continued*

INTERFACE:
Ethernet (10Base-T or 100Base-TX)
Parallel IEEE 1284/USB 1.1, 2.0 (optional)

PROTOCOLS:
TCP/IP, IPX/SPX (NDS), SMB, NetBEUI, LPD, LPR, IPP 1.1, SNMP, HTTP, AppleTalk (EtherTalk), Pserver (Novell 4.x 5, 6/NDS), NPrinter, NDPS, SMTP, POP3, LDAP, SSL

PAGESCOPE APPLICATIONS:
Network & Device Management
PageScope Box Operator
PageScope Data Administrator
PageScope EMS Plug-Ins
PageScope Job Spooler
PageScope NDPS Gateway
PageScope Net Care
PageScope Network Setup
PageScope Web Connection
PageScope Direct Print
PageScope Plug-In for Web JetAdmin

IC-406 Fiery Print Controller (option):

PROCESSOR:
Intel® Celeron™ 2.0 GHz

OPERATING SYSTEM:
Linux

HARD DISK DRIVE:
40 GB

MEMORY:
512 MB (maximum)
256 MB (Optional)

PAGE DESCRIPTION LANGUAGE:
PCL 6 (PCL XL 2.1)
PCL6 (XL 2.1)
PostScript 3

TONER:
PCL Resident Fonts
PS3 Emulation Resident Fonts
PRINT DRIVERS:
Windows 98 SE/ME, 2000, XP, NT 4.0
Mac OS 8.6, 9.x
Mac OS X 10.1 and 10.2 (classic mode only)
Max OS 10.2.4 and later (native mode)

INTERFACE:
Parallel IEEE 1284
10/100 BaseT
USB 1.1
USB 2.0

PROTOCOLS:
TCP/IP, IPX/SPX (NDS), SMB, NetBEUI, LPD, LPR, IPP 1.1, SNMP, HTTP, AppleTalk (EtherTalk), Pserver (Novell 4.x 5, 6/NDS), NPrinter, NDPS, SMTP, POP3, LDAP, SSL

UTILITIES:
ColorWise™ Pro Tools 3.0
Command Workstation™ 4.2 (for Windows)
Command Workstation™ LE (for Mac OS 10.2.4 and later)
Fiery™ Downloader™
Fiery™ Spooler™
Fiery™ WebTools™
Spot-On Color Matching (standard)

OPTIONS:
SA-501 Scan Accelerator Kit
SC-503 Security Kit
VK-501 Vendor Kit
EM-309 256 MB Memory Upgrade



© 2006 KONICA MINOLTA BUSINESS SOLUTIONS CANADA, INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Konica Minolta and The essentials of imaging are trademarks of KONICA MINOLTA HOLDINGS, INC. bizhub, Emperon, PageScope, Workware, and Data Administrator are trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Simitri is a registered trademark of KONICA MINOLTA BUSINESS SOLUTIONS. All other brands and product names are registered trademarks or trademarks of their respective owners.

Design & specifications are subject to change without notice.

*Some functions may require options, which may or may not be available at time of launch.



KONICA MINOLTA

KONICA MINOLTA
BUSINESS SOLUTIONS CANADA, INC.
369 Britannia Road East
Mississauga, ON L4Z 2H5
www.konicaminolta.ca
www.konicaminolta.ca/solutions